

FCC IN A NUTSHELL

Timeline

- **2025:** [Release](#) of the FCC Feasibility Study report
- **2028:** Decision by CERN Member States and international partners

Tunnel


- **90.7 km** circumference
- **180 – 400 m** depths for access shafts
- **8 surface sites** (7 in France, 1 in Switzerland)

Two stages

- **FCC-ee** (precision measurements) about 15 years from the **late 2040s**
- **FCC-hh** (high energy) about 25 years from the **2070s**

Costs/benefits

- **15 billion CHF**, spread over about **12 years** for FCC-ee with four experiments
- **Positive** socio-economic benefit–cost ratio
- About **800 000** person-years of employment created



We have made several contributions to the European Strategy and the newly published feasibility report

<https://cds.cern.ch/record/2928193>

Electroweak precision at FCC ee

Observable	present value	present \pm uncertainty	FCC-ee Stat.	FCC-ee Syst.	Comment and leading uncertainty
m_Z (keV)	91 187 600	\pm 2000	4	100	From Z line shape scan Beam energy calibration
Γ_Z (keV)	2 495 500	\pm 2300	4	12	From Z line shape scan Beam energy calibration
$\sin^2 \theta_W^{\text{eff}} (\times 10^6)$	231,480	\pm 160	1.2	1.2	From $A_{\text{FB}}^{\mu\mu}$ at Z peak Beam energy calibration
$1/\alpha_{\text{QED}}(m_Z^2) (\times 10^3)$	128 952	\pm 14	3.9 0.8	small tbc	From $A_{\text{FB}}^{\mu\mu}$ off peak From $A_{\text{FB}}^{\mu\mu}$ on peak QED&EW uncert. dominate
$R_\ell^Z (\times 10^3)$	20 767	\pm 25	0.05	0.05	Ratio of hadrons to leptons Acceptance for leptons
$\alpha_S(m_Z^2) (\times 10^4)$	1 196	\pm 30	0.1	1	Combined $R_\ell^Z, \Gamma_{\text{tot}}^Z, \sigma_{\text{had}}^0$ fit
$\sigma_{\text{had}}^0 (\times 10^3)$ (nb)	41 480.2	\pm 32.5	0.03	0.8	Peak hadronic cross section Luminosity measurement
$N_\nu (\times 10^3)$	2 996.3	\pm 7.4	0.09	0.12	Z peak cross sections Luminosity measurement
$R_b (\times 10^6)$	216 290	\pm 660	0.25	0.3	Ratio of $b\bar{b}$ to hadrons
$A_{\text{FB}}^{b,0} (\times 10^4)$	992	\pm 16	0.04	0.04	b-quark asymmetry at Z pole From jet charge

- Huge improvement in EW precision
- Mainly from running at Z pole
- Very hard for EW scale New Physics to evade this tests!

Higgs at FCC ee and hh

Coupling	HL-LHC	FCC-ee	FCC-ee + FCC-hh
κ_Z (%)	1.3*	0.10	0.10
κ_W (%)	1.5*	0.29	0.25
κ_b (%)	2.5*	0.38 / 0.49	0.33 / 0.45
κ_g (%)	2*	0.49 / 0.54	0.41 / 0.44
κ_τ (%)	1.6*	0.46	0.40
κ_c (%)	–	0.70 / 0.87	0.68 / 0.85
κ_γ (%)	1.6*	1.1	0.30
$\kappa_{Z\gamma}$ (%)	10*	4.3	0.67
κ_t (%)	3.2*	3.1	0.75
κ_μ (%)	4.4*	3.3	0.42
$ \kappa_S $ (%)	–	+29 –67	+29 –67
Γ_H (%)	–	0.78	0.69
$\mathcal{B}_{\text{inv}} (<, 95\% \text{ CL})$	$1.9 \times 10^{-2} *$	5×10^{-4}	2.3×10^{-4}
$\mathcal{B}_{\text{unt}} (<, 95\% \text{ CL})$	$4 \times 10^{-2} *$	6.8×10^{-3}	6.7×10^{-3}

- Up to a $\times 10$ improvement in many couplings
- Son
- At Liverpool we look at:
 - muon and invisible at FCC ee
 - diHiggs at FCC hh

Di-Higgs at FCC hh

Lennox Wood (Mphys), Sam Valentine (Mphys), Monica D'Onofrio, Carl Gwilliam, Jordy Degens, Cristiano Sebastiani, Nikos Rompotis








Fig. 5: Density distribution of the GNN output scores for the lep-had (left) and had-had (right) channel.

- Look in $bb\tau\tau$ channel
- Improve analysis by using Graph Neural Network
- Precision of 3%


Higgs to invisible at FCC ee

Stephen Randles, Andy Mehta, Nikos Rompotis




(c) qq channel

- Can fully reconstruct Higgs mass
- Analyses hadronic and leptonic channels
- At two beam energies
- Can measure the SM BF to 3 sigma
- Most stringent limits on New physics in the Higgs sector IMHO



FCC eh

Monica D'Onofrio, Uta Klein, Max Klein



- Work on LHeC as a bridge project for FCC eh
- Contribution to the European Strategy
- Also work done on the feasibility of having a Forward physics facility at FCC